



SAFETY DATA SHEET

LITHIUM SULFATE, MONOHYDRATE

1. Identification of the Substance/Mixture and of the Company/Undertaking:

- 1.1 Product Identifier:** Lithium Sulfate, Monohydrate
1.1.1 Substances: Not applicable
1.1.2 Mixture name: Lithium Sulfate, Monohydrate
1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:
Formulation and chemical synthesis in industrial manufacturing operations.
Additive for preparations and articles for industrial and consumer use.
Do not use for private purposes (household).

1.3 Details of the Supplier of the Safety Data Sheet

North America
FMC Corporation
2801 Yorkmont Road, Suite 300
Charlotte, NC 28208
Phone: +1.704.426.5300
Fax: +1.704.426.5370
1.888.lithium

Europe
FMC Chemicals
Commercial Road
Bromborough, Merseyside
CH62 3NL, England
Phone: +44.151. 334.8085
Fax: +44.151.482.7361

Asia Pacific
FMC Asia Innovation Center
No 3 Building No. 4560
Jinke Road
Shanghai, China 201203
T: +86.21.2067.5888

Email: lithium.info@fmc.com
Web: www.fmclithium.com

1.4 Emergency Telephone Number:

North America
CHEMTREC: +1.800.424.9300
+1.703.527.3887
Plant: +1.704.629.5361
Medical: +1.303.595.9048

Europe
24 hr Specialist advice number:
CHEMTREC: +44 870 8200418

Asia Pacific
Phone: +86.21.2067.5888

2. Hazards Identification

- 2.1 Classification of the Substance or mixture:**
2.1.1 GHS Classification [EC Regulation No 1272/2008 and US OSHA regulations]
Acute Toxicity Category 4
2.2.2 EC: Classification according to 67/548/EEC or 1999/45/EC [DSD/DPD]
Xn, R22

- 2.2 Label Elements:**
2.2.3 Hazard Pictograms(s):



- 2.2.4 Signal Word:** Warning
Hazard Statement(s): Harmful if swallowed. H302
Precautionary Statement(s):
Wash hands thoroughly after handling. P264
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P301 + P312
Rinse mouth. P330
Do not eat, drink or smoke when using this product. P270
Dispose of contents/ container to an approved waste disposal plant. P501

- 2.3 Other Hazards**
None.

3. Composition / Information on Ingredients

- 3.1 Substances** Not applicable. Lithium sulfate monohydrate is considered to be a mixture of

anhydrous in water

3.2 Mixtures

3.2.1 GHS Classification [EC: Regulation No 1272/2008; US: OSHA regulations]

<u>Chemical Name</u>	<u>CAS #</u>	<u>EC No</u>	<u>EC Index No</u>	<u>REACH Reg No</u>	<u>Wt.%</u>	<u>Classification, Hazard Statement Codes</u>	
Lithium sulfate, anhydrous	10377-48-7	233-820-4	not avail.	not available	85.9	Acute Tox. 4	H302
Water	7732-18-5	None	None	None	14.1	None	

3.2.2 EC: Classification according to 67/548/EEC or 1999/45/EC [DSD/DPD]

<u>Chemical Name</u>	<u>CAS #</u>	<u>EC No</u>	<u>Wt.%</u>	<u>Symbols</u>	<u>R-phrases</u>
Lithium sulfate, anhydrous	10377-48-7	233-820-4	85.9	Xn	R22
Water	7732-18-5	None	14.1	None	None

(see Section 16 for R-phrases text)

4. First Aid Measures

4.1 Description of First Aid Measures

- EYES:** Flush with water for at least 15 minutes. If irritation occurs and persists, contact a medical doctor.
- SKIN:** Remove contaminated clothing and thoroughly wash with soap and water. If irritation occurs and persists, contact a medical doctor.
- INGESTION:** Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. If any discomfort persists, obtain medical attention.
- INHALATION:** Remove to fresh air. If breathing difficulty or discomfort occurs and persists, contact a medical doctor.

4.2 Most Important Symptoms and effects, both acute and delayed

This product is expected to have low oral toxicity. It may be irritating to the skin, eyes, respiratory tract and mucous membranes.

4.3 Indication of any immediate medical attention and special treatment needed.

Notes to medical doctor:
 Effects of overexposure to lithium ion are well documented in the medical literature. Low toxicity is anticipated. In such cases, standard protocols for overdosage are suggested. Treatment is otherwise symptomatic and supportive.

5. Fire-Fighting Measures

5.1 Extinguishing media Dry chemical, CO₂, water spray or regular foam.

5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products** None
- General Hazard** No known physical hazard, non-combustible.
- Properties contributing to**
- Flammability** None
 - Flashpoint** Not applicable
 - Flammable limits in air** Upper: Not available Lower: Not available.
 - Auto ignition temperature** Not applicable
 - Sensitivity to static discharge** Not applicable
 - Sensitivity to static impact** Not applicable

5.3 Advice for fire-fighters

Wear full protective clothing and self-contained breathing apparatus (SCBA) approved for fire fighting. This is necessary to protect against the hazards of heat, products of combustion and oxygen deficiency. Do not breathe smoke, gases or vapors generated.

COMMENTS:

(See Section 10, Stability and Reactivity)

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Before cleanup measures begin, review the entire SDS with particular attention to Section 2, Hazards Identification; and Section 8, Exposure Controls/Personal Protection.

- 6.2 Environmental precautions**
 Do not wash into drains. Dispose of at qualified waste disposal facility.
- 6.3 Methods and material for containment and cleaning up**
 Sweep up and place in suitable container. Dispose of waste according to local and Federal laws and regulations.
- 6.4 Reference to other sections**
 Before cleanup measures begin, review the entire SDS with particular attention to Section 2, Hazards Identification; and Section 8, Exposure Controls/Personal Protection.
- 6.5 Additional information**
 Not specified.

7. Handling and Storage

- 7.1 Precautions for safe handling**
 Avoid contact with eyes, skin or clothing. Use with adequate ventilation. Wear safety glasses or goggles and rubber gloves. Wash thoroughly after handling.
- 7.2 Conditions for safe storage, including any incompatibilities**
 Keep container closed.
- 7.3 Specific end use(s)**
 Not available. Chemical safety assessment has not been completed for this product.

8. Exposure Controls / Personal Protection

8.1 Control parameters

Lithium Sulfate:

DNEL

Long-term exposure, systemic, inhalation Not available
 Long-term exposure, systemic, dermal Not available

PNEC

PNEC aqua (freshwater, intermittent) Not available
 PNEC STP Not available

EXPOSURE LIMITS

<u>Chemical Name</u>	<u>EU</u>		<u>EH40 (UK WEL)</u>		<u>USA (ACGIH)</u>		<u>USA (OSHA)</u>	
	<u>TWA</u>	<u>STEL</u>	<u>TWA</u>	<u>STEL</u>	<u>TWA</u>	<u>STEL/Ceiling</u>	<u>PEL</u>	<u>STEL/Ceiling</u>
Lithium sulfate	none*		none*		none*		none*	

* No occupational exposure limit value

8.2 Exposure controls

Engineering controls:

Use local exhaust ventilation to keep airborne concentrations below exposure limits.

Personal protective equipment

Eyes and Face:

Safety glasses or goggles

Respiratory:

When engineering controls are not adequate, wear a respirator approved for protection against inorganic dusts.

US: NIOSH or MSHA approved

Europe: CEN Class P type

Protective Clothing:

Gloves: Nitrile/Neoprene/PVC/Natural Rubber (permeation breakthrough not detected during 6 hr test)

These glove recommendations should not be used as the absolute basis for glove selection. Actual in-use conditions may vary glove performance from the controlled conditions of laboratory tests. Factors such as concentration and temperature, glove thickness and glove reuse, may affect performance. Other glove requirements, such as length, dexterity, cut, abrasion, puncture and snag resistance, or glove grip need to be considered in making your final selection.

Other: Not specified.

Work Hygienic

Quick-drench eyewash and safety shower.

Practices:

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

<u>Appearance:</u>	White powder
<u>Odor:</u>	Odorless
<u>Odor threshold:</u>	Not applicable
<u>pH:</u>	(1% Slurry) @ 25°C: 7
<u>Melting point:</u>	Loses water @ 72°C-160°C (162°F-320°F)
<u>Boiling point:</u>	Not applicable
<u>Flash point:</u>	Not applicable
<u>Evaporation rate(butyl acetate = 1):</u>	Not applicable
<u>Flammability:</u>	Not flammable
<u>Flammable limits:</u>	Not applicable
<u>Vapor pressure:</u>	Not applicable
<u>Vapor density (air = 1):</u>	Not applicable
<u>Specific gravity:</u>	2.1 g/cc
<u>Solubility in water:</u>	% by wt. @ 25°C (77°F): 30
<u>Partition coefficient n-octanol/ water:</u>	Not applicable
<u>Autoignition temperature:</u>	Not applicable
<u>Decomposition temperature:</u>	Not available
<u>Viscosity:</u>	Not applicable
<u>Explosive properties:</u>	Not explosive
<u>Oxidizing properties:</u>	Not oxidizing

9.2 Other information

<u>Self-reactive properties</u>	Does not meet classification criteria.
<u>Pyrophoric properties</u>	Does not meet classification criteria.
<u>Self-heating properties</u>	Does not meet classification criteria.
<u>Water reactive properties</u>	Does not meet classification criteria.
<u>Corrosive to metals</u>	Does not meet classification criteria.
<u>Molecular weight:</u>	127.96

10. Stability and Reactivity

10.1 <u>Reactivity</u>	Generally stable and non reactive
10.2 <u>Chemical stability</u>	Stable
10.3 <u>Possibility of hazardous reaction</u>	Hazardous polymerization will not occur.
10.4 <u>Conditions to avoid</u>	None
10.5 <u>Incompatible materials</u>	None
10.6 <u>Hazardous decomposition products</u>	None

11. Toxicological Information

11.1 Information on toxicological effects

(a) acute toxicity	Lithium sulfate, anhydrous acute oral LD ₅₀ = 613 mg/kg (rat)
(b) skin corrosion/irritation	Classified as not irritating to skin on the basis of lithium sulfate
(c) serious eye damage/irritation	Classified as not irritating to eyes on the basis of lithium sulfate
(d) respiratory/skin sensitisation	Classified as not sensitizing to skin on the basis of lithium sulfate
(e) germ cell mutagenicity	Classified as not mutagenic based on lithium sulfate.
(f) carcinogenicity	Classified as not carcinogenic based on lithium sulfate.
(g) reproductive toxicity	Classified as not a reproductive toxin based on lithium sulfate.
(h) STOT-single exposure	Classified as not causing organ damage based on lithium sulfate
(i) STOT-repeated exposure	Classified as not causing organ damage on repeat exposure based on lithium sulfate.
(j) aspiration hazard	Lithium sulfate, a solid, does not present an aspiration hazard.

Acute Effects From Overexposure:

No data available for the formulation.

Chronic Effects From Overexposure:

No data available for product.

Carcinogenicity Listings

EH40: Not listed.
IARC: Not listed.
NTP: Not listed.
OSHA: Not considered a carcinogen under OSHA.
ACGIH: Not listed.

12. Ecological Information

- 12.1 **Toxicity**: No classification
No data available for the product. Based on the available data, the classification criteria are not met.
- 12.2 **Persistence and degradability**
Inorganic salt.
- 12.3 **Bioaccumulative potential**
Inorganic. Lithium salts are not bioaccumulative
- 12.4 **Mobility in soil**
No data available for the product.
- 12.5 **Results of PBT and vPvB assessment**
No data available for the product.
- 12.6 **Other adverse effects**
None

13. Disposal Considerations

- 13.1 **Waste treatment methods**
Use a qualified industrial waste disposal facility. Dispose of waste according to local and Federal laws and regulations.

14. Transport Information

- 14.1 **UN Number** None
- 14.2 **UN proper shipping name (IMDG, ICAO, ADR, DOT)** None
- 14.3 **Transport hazard class(es) (IMDG, ICAO, ADR, DOT)** Based on available data, the classification criteria are not met.
- 14.4 **Packing group (IMDG, ICAO, ADR, DOT)** None
- 14.5 **Environmental hazards** Based on available data, the classification criteria are not met.
- 14.6 **Special precautions for user** None
- 14.7 **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** None

15. Regulatory Information

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture**

EUROPEAN UNION:

German Wassergefährdungsklasse (water hazard class)

Lithium sulfate

1

UNITED STATES:

Section 311 Hazard Category (40 CFR 370):
Section 313 Reportable Ingredients (40 CFR 372):

Immediate (Acute) Health Hazard
This product does not contain a toxic chemical subject to the reporting requirements of Section 313 of Emergency Planning and Community Right-To-Know Act of 1986.
Not listed

Section 302 Extremely Hazardous Substances (40 CFR 355):

CERCLA Hazardous Substance (40 CFR 302.4):

Not listed

TSCA Sec 12b Export Notification:

This product is not subject to TSCA 12 (b) Export Notification Requirements.

NFPA Rating:

Health: 1 Flammability: 0 Reactivity: 0 Special: None

INTERNATIONAL INVENTORY STATUS:

<u>Inventory/Country</u>	<u>Product Status</u>
EINECS (EU)	Lithium sulfate is listed; the hydrated form is not required to be listed.
TSCA (US)	Lithium sulfate is listed; the hydrated form is not required to be listed.
ECL (Korea)	Lithium sulfate is listed; the hydrated form is not required to be listed.
DSL (Canada)	Lithium sulfate is listed; the hydrated form is not required to be listed.

15.2 Chemical Safety Assessment

The Chemical Safety Assessment has not been completed for this product.

16. Other Information

European Union:

R Phrases:

Harmful if swallowed

R22

List of Abbreviations used in this SDS:

PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent, very Bioaccumulative
PEC	Predicted environmental concentration
PNEC	Predicted no effect concentration
DNEL	Derived no effect level

Specific uses identified for Exposure Scenarios

Not available

REVISION SUMMARY: Revision # 1. Sections 2, 3, 8, 11 and 12 modified.

This SDS has been prepared to meet European Regulation (EC) No 1907/2006 [and No 1272/2008], and U. S. OSHA Hazard Communication Standard requirements.

type 1b

Copyright 2015. FMC Corporation. All Rights Reserved. FMC and the FMC logo are trademarks of FMC Corporation.